Dart Aerospace Ltd. Thursday, 5/11/2006 11:52:13 AM Kim Johnston User: **Process Sheet** : SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer : CU-DAR001 Dart Helicopters Services **Drawing Name** Job Number : 27058 : 10533 **Estimate Number** Alh: : D2573 **Part Number** P.O. Number : D2573 REV E : 5/11/2006 This issue **Drawing Number** Prsht Rev. **Project Number** : N/A : NIA Tvpe : MACHINED PARTS First Issue **Drawing Revision** : 26974 Material **Previous Run** Each **Due Date** : 5/30/2006 Written By Checked & Approved By Comment **Additional Product** Job Number: Seq. #: Machine Or Operation: Description: 1.0 D6101007 7075-T7351 8.25X7.75X2.5 Comment: Qty.: 12.0000 Each(s) Total: 1.0000 Each(s)/Unit 7075-T7351 8.25X7.75X2.5 Make from D6101-007 billet for D2573 Ensure that grain is along 7.75" length 66107/02 Batch No:\_ 2.0 HAAS1 Comment: HAAS CNC VERTICAL MACHINING #1 Program Batch No. 32765 Double check by: JL 1-Machine Step No 1 per Folio FA051 and inspect per attached Dimension Sheets 2-Machine Step No 2 per Folio FA051 and inspect per attached Dimension Sheets 3-Machine Step No 3 per Folio FA051 and inspect per attached Dimension Sheets 4-Deburr and remove all machining marks 5-Tumble to remove sharp edges. 06107/02 3.0 MILLING CONV. CONVENTIONAL MILLING MACHINE . 3 Comment: CONVENTIONAL MILLING MACHINE 06107/02 Machine keyway as per dwg D2573 & D2574 QC2 4.0 INSPECT PARTS AS THEY COME OFF MACHINE Comment: INSPECT PARTS AS THEY COME OFF MACHINE 06/07

Page 1

## Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES.
DATE	STEP	PROCEDURE CHANGE  By Date Oty Approval Mfg / Design QC Inspector

NCR:		W	ORK OR	DER NON-CONFORMANCE	(NCR)				
•		Description of NC		Corrective Action Section B	9:4	Verification	A		
DATE	STEP	SIEP	Section A	<b>Initial</b> Design Mgr	Action Description Design Mgr	Sign & Dates	Section C	Approval Design Mgr	Approval QC Inspector
		,							
		·							
				•	4.	·			
								A.	
								1 1 m	
		4							

Part No:	PAR #:	Fault Category:N	NCR:	Yes No DQA:	Date: 06/07/13
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

Thursday, 5/11/2006 11:52:13 AM Date: User: Kim Johnston **Process Sheet** Drawing Name: SADDLE FITTING, AFT (OUTBOARD/INBOARD) Customer: CU-DAR001 Dart Helicopters Services <sup>\*</sup> Job Number: 27058 Part Number: D2573 Job Number: Seq. #: Description: **Machine Or Operation:** SECOND CHECK 5.0 QC8 Comment: SECOND CHECK 6.0 HAND FINISHING1 HAND FINISHING RESOURCE #1 Comment: HAND FINISHING RESOURCE #1 Acid etch and Alodine as per QSI 005 4.1 POWDER COATING POWDER COATING 7.0 Comment: POWDER COATING Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3 INSPECT POWDER COAT/CHEMICAL CONVERSIO 8.0 QC3 Comment: INSPECT POWDER COAT 9.0 PACKAGING 1 PACKAGING RESOUR@E# Comment: PACKAGING RESOURCE #1 Identify and Stock 51351 Location: 10.0 DC DOCUMENT CONTRO Comment: DOCUMENT CONTROL Inspection Level 21 U Do. 07.13 Job Completion

Form: rprocess

Page 2

## Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES	S				
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector

NCR:		W	ORK OR	DER NON-CONFORMANCE (NC			
		Description of NC		Corrective Action Section B	Verification	Approval	Approval
DATE	STEP	Section A	<b>Initial</b> Design Mgr	Action Description Sign Design Mgr Dat	& Section C	Design Mgr	.QC Inspector
		3	·	<b>`</b> .:			
	·				*		
			,				
			-		,4		
			:				
						٠	
	1					L	<u> </u>

Part No:	PAR #:	Fault Category:	NCR:	`Yes	No	DQA:	 Date:	
								٠,
NOTE: Date & initial all entries				QA: N	1/C C	losed:	 Date:	

DART AEROSPACE LTD		Work Order:	27058
Description: Saddle, Aft Outboard	•	Part Number:	D2573
Inspection Dwg: D2573 Rev. E			Page 1 of 1

				Re	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.441	0-441	0-441	0-44/		·
В	1.745	1.755		1.745	1748	1.745	1.747		
С	3.495	3.505		3.428	3498	3.498	3.499		
D	1.745	1.755		1.745	4748	1.745	1,748		
E	7.990	8.010		8.006	90.004	8.000	8.005		
F	0.490	0.510		6.562	0.499	0.496	0.497		
G	0.257	0.262	DT8683	0.259	0.259	0.259	0.259		
Н	0.375	0.380	DT8684	0.344	6.377	0.347	0.377		
1	0.490	0.510		0.500	0.496	0.498	0.499		
J	1.174	1.184		1.179	1-178	0498	1.127		
K	0.558	0.578		0.561	0561	0.563	0.566		
L	1.174	1.184		1.179	1.178	1.177	1.177		
М	1.365	1.375		8.1.367	1.368	1368	1.369		
N	2.495	2.505		2.495	2.497	2.497	2.496		
0	4.119	4.129		4,172	4.123	4.120	4,122		
Р	0.115	0.135		0.125	0.124	6.172	0.195		
Q	0.115	0.135		0-135	6-135	0.135	0.135		
R	0.240	0.260		0.251	6.249	0.250	0-949		
S	0.115	0.135		0.122	8.119	0.170	0.122		
Т	0.178	0.198		0 188	0.188	0.188	0-188		
U	3.210	3.250		3.230	3.230	3.250	3.236		
V	0.230	0.250		0.236	0.241	0.239	0-241		
W	0.115	0.135		0.123	6/24	6.120	6-191		
Х	0.308	0.313		0.810	0.310	0.3n	0.310		
Υ	0.760	0.765		0.765	0.765	0.765	0.765		
Z	0.352	0.372		6.365	0.364	0.869	0.365		
AA	0.470	0.530		0.500	0500	0.500	0.500		
AB	0.615	0.635		0.629	0.629	0.829	0.630		
AC	0.053	0.073		0.063	0.063	0.063	0.063		
AD	0.240	0.260		0.246	• 2:49	0.245	0.244		
ΑE	1.500	1.520		1512	1,5/2	1.512	1.513		
AF	0.115	0.135		0.135	6.135	0.135	0.135		
AG	0.240	0.280		0.260	0.260	v.260	0.260		
AH	0.240	0.260		6.246	0.250	0.249	0-249		
Al	2.000	2.020	-	2.002	2.002	2.002	2,002		
AJ	0.023	0.043		0.030	0.030	0030	0.030		
	Acc	ept/Reje	ct	<u> </u>					

Measured by:	5.6	Audited by	me
Date: 06/06	127	Date:	04/02/04

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF.	-1
Е	05.12.05	Added dimension AJ	KJ/JLM ox	

DART AEROSPACE LTD	Work Order:	21058
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E	3	Page 1 of 1

				Re	corded Actu	ıal Dimensi	ons		
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
Α	0.438	0.443	DT8682	0.441	1.748	0.441	0-44/		
В	1.745	1.755		1.749	1.748	1.748	1.750		
С	3.495	3.505		3.499	3.498	2,499	3.497		
D	1.745	1.755		1.747	1.748	1.749	1.750		
E	7.990	8.010		8.004	8.003	8.000	8.004		
F	0.490	0.510		0.500	0.501	.499	0503		
G	0.257	0.262	DT8683	0.259	0.759	0.254	0-255		
Н	0.375	0.380	DT8684	0.344	0.377	6.377	0.377		
1	0.490	0.510		0.501	0.444	-200	0.495		
J	1.174	1.184		1.177	1.178	1.178	1.175		
K.	0.558	0.578		0.569	0.568	.568	0.563		
L	1.174	1.184	, ,,	1.177	1.177	1.149	1.179		
М	1.365	1.375		1 - 371	1-372	1.149	1.367		
N	2.495	2.505		2.499	2.498	2,499	2.499		
0	4.119	4.129		4.124	4.123	4.122	4.122		
Р	0.115	0.135		0-130	0-129	.126	0.124		
Q	0.115	0.135		o 135	0.135	0.135	6.185	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·
R	0.240	0.260		0.251	0.349	-250	0249		
S	0.115	0.135		0.130	0-129	. 119	0.150		
T	0.178	0.198		0.188	0.188	0.188	0-188		***************************************
Ü	3.210	3.250			3.230	3.230	3.230		
V.	0.230	0.250		3.200	0.242	- 240	0230	<del></del>	
W	0.115	0.135		0.124	0.127	-126	0.125		
X	0.308	0.313		0.8/0	0.310	0.310	0.310		
Ŷ	0.760	0.765			0.765	6:765	0.765		4
Z	0.352	0.372		0.364	0.365	373	6.770		
ĀA	0.470	0.530		,500	0.500	0.500	0.500		
AB	0.615	0.635		0.688	0 629	627	0.678		
AC	0.053	0.073		0-063	0.063	6.063	0.063		
AD	0.240	0.260		0-250	6.250	-920	-248	<b> </b>	
AE	1.500	1.520	*	1.5/3	6.250	15/2	1.516	<del>  -</del>	
AF	0.115	0.135		6.135	0./35	0.135	0.135		·
AG	0.240	0.280	-	0.260	0.260	0.260	0.260		
AH	0.240	0.260		0.249		-248	0.244		- ;
Al	2.000	2.020		2.603	2.004	2.003	2.007		
AJ	0.023	0.043	2000	0.630	0.030	0.030	0.030		
1		ept/Reje	ct	0 0 0	- 555	2 2 30			

Measured by:	ゴ・Gノブレ	100	Audited by	Inl.	
Date:	06/06/2	9	Date:	06/07/	94

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension Al	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM A	Gill
			70	7~/

DART AEROSPACE LTD	Work Order:	27058
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

				Recorded Actual Dimensions							
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date		
Α	0.438	0.443	DT8682	0.441	0.441	0.441	0.441				
В	1.745	1.755		1.747	1746	1.746	1.748				
С	3.495	3.505		3.498	3.497	3.498	3.499				
D	1.745	1.755		1,747	1.746	1.746	1.749				
E,	7.990	8.010		8,001	8.000	8.001	8.000				
F	0.490	0.510		0.50	0.499	0.499	0.499				
G	0.257	0.262	DT8683	0.255	0.259	0.259	0.259				
Н	0.375	0.380	DT8684	0:377	0-377	0.377	0.377				
1	0.490	0.510		0.496	0.498	0-500	6.494				
J	1.174	1.184		1.177	1.133	1.176	0.56				
K	0.558	0.578		0563	0.564	6.568	0.56				
L	1.174	1.184		1.177	1,137	1.176	1,175				
M	1.365	1.375		1.368	1.366	1.367	1.369				
N	2.495	2.505		2.497	2497	7.428	2.495				
0	4.119	4.129		4.122	4.119	4.120	4.119				
Р	0.115	0.135		0122	124	0-124	0.126				
Q	0.115	0.135		0.135	0.135	0-135	0.135				
R	0.240	0.260		0251	6.251	6-252	0.253				
S	0.115	0.135		6.118	0.150,	0.170	0.12)				
Т	0.178	0.198		0.188	0.188	0.128	0.188				
U	3.210	3.250		3.230	3.230	3.230	3.200		4.		
V	0.230	0.250		0.237	0.239	0-240	0.241				
W	0.115	0.135		6.123	0.176	6.174	0.123				
Χ	0.308	0.313		6.360	0.30	2.3/0	0.310				
Υ	0.760	0.765		6.765	0.765	0.765	0.765				
Z	0.352	0.372		0.367	0.365	6-361	0.365				
AA	0.470	0.530		0.500	0.500	0.504	0.500				
AB	0.615	0.635		0639	0.627	0674	0.627				
AC	0.053	0.073		0.063	8-063	0.063	0.063				
AD	0.240	0.260		0.248	0.249	0.250	0.249				
AE	1.500	1.520		1.23	1.512	1.515	1.574				
AF	0.115	0.135		0.135	6.135	a:135	0.135				
AG	0.240	0.280		8.760	0.260	e. 260	0-260				
AH_	0.240	0.260		8.246	0.245	0-249	0.248				
ΑI	2.000	2.020		2.001	2.002	2.000	2.003				
AJ	0.023	0.043		0.030	0.030	0.830	0.039				
	Acc	ept/Reje	ct								

		_ / v .	
Measured by:	C	Audited by	ans
Date:	-06/06/30	Date:	06/07/04


Date	Change	Revised by	Approved
	New Issue	RF	
02.09.26	Re-format; Added Rev. D	KJ ·	
02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
05.05.05	Added dimension Al	KJ/RF	- 1
05.12.05	Added dimension AJ	KJ/JLM o	Gill
	02.09.26 02.10.11 05.05.05	New Issue  02.09.26 Re-format; Added Rev. D  02.10.11 Re-format; Added DT8682, DT8683, DT8684  05.05.05 Added dimension Al	New Issue         RF           02.09.26         Re-format; Added Rev. D         KJ           02.10.11         Re-format; Added DT8682, DT8683, DT8684         KJ           05.05.05         Added dimension AI         KJ/RF

DART AEROSPACE LTD	Work Order:	21058
Description: Saddle, Aft Outboard	Part Number:	D2573
Inspection Dwg: D2573 Rev. E		Page 1 of 1

				Re	corded Actu	ed Actual Dimensions			
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	Ву	Date
A	0.438	0.443	DT8682	0441	0-441	a. 441	144.0		
В	1.745	1.755		1.740	1.747		1.747		
Ċ	3.495	3.505		- S. O.A.	3,497	3.498	3-497		
D	1.745	1.755		1.748	1 748	1-747	1.748		
E	7.990	8.010		8.002	B and	8,002	8.003		
F	0.490	0.510		0.496	0,74/	0-771	0.499		
G	0.257	0.262	DT8683	0.22	0.237	0259	0.259		
Н	0.375 •	0.380	DT8684	0.347	0317	0.377	0.377		
ı	0.490	0.510		6.498	0_497	0-499	0.498		
J	1.174	1.184		1177	1 172	11.177	1.177		
K	0.558	0.578		0.563	0-564	0-867	0.568		
L	1.174	1.184		11.177	4.122	0 + v 37	1,177		
М	1.365	1.375		1.366	1-367	1.369	1.367		
N	2.495	2.505		2497	2.498	2.499	2.498		
0	4.119	4.129		4.119	4.130		4,122		
Р	0.115	0.135		0.120	0.132	0.130	161,0		
Q	0.115	0.135		0.135	0.135	0./35	6/35		**
R	0.240	0.260		6.248	0-247	0.218	0.247		
S	0.115	0.135		5.119	0-119	0.130			
T	0.178	0.198		0-188	0.188		0.188		
U	3.210	3.250		3-230	0.238	3-280	3.230		
V	0.230	0.250		0.237	0.338	0.237	0.239		
W	0.115	0.135		6.177	6-193	0.124	0.123		
Χ	0.308	0.313		0.316	0.310	0.310	0.310		
Υ	0.760	0.765		6.765	0-359	0.361	0.765		
Z	0.352	0.372		0.359	0-359		0.365		
AA	0.470	0.530		0.500	0.500	6.500	0.209		
AB	0.615	0.635		0.626	862.0	0.624			
AC	0.053	0.073		0.063	0.063	0-063	0.063		
AD	0.240	0.260		0.246	0-247	0.246	0.247	-	
AE	1.500	1.520		1.510	1.511	1.512	1.513		
AF	0.115	0.135		0-135	0-135	0.135	0./35		2
AG	0.240	0.280			0.260		0.260		
AH	0.240	0.260		0.246	0-248	6-247	0,246		
Al	2.000	2.020		2.000	2.001	2.001	9.069		
AJ	0.023	0.043		0.030	0.030	0-030	0.039		
	Acc	ept/Reje	ct						

		/		
Measured by:	Ep /	3.6	Audited by	Til
Date: 0	061071	03	Date:	06/07/04

Rev	Date	Change	Revised by	Approved
Α		New Issue	RF	
В	02.09.26	Re-format; Added Rev. D	KJ	
С	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	1
E	05.12.05	Added dimension AJ	KJ/JLM 🚓	
			• ( )	/ /



\$					
					<b>e</b> *
					# <u>*</u>
	\$	÷.		0	3.2
			*		•
					*
	- 4		. •		•
	(4)		,	•	
		÷.	· ·		·
			41)		